UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/580,232	02/07/2007	Per Mansson	MANS3014/REF	3755
23364 BACON & TH	7590 09/02/200 OMAS, PLLC	EXAMINER		
625 SLATERS LANE FOURTH FLOOR			LUM, LEON YUN BON	
ALEXANDRIA, VA 22314-1176			ART UNIT	PAPER NUMBER
			1641	
			MAIL DATE	DELIVERY MODE
			09/02/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/580,232	MANSSON ET AL.			
Office Action Summary	Examiner	Art Unit			
	Leon Y. Lum	1641			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	L. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
Responsive to communication(s) filed on 22 Ma This action is FINAL . 2b)☑ This Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
4) ☐ Claim(s) 1-6,16 and 25-32 is/are pending in the 4a) Of the above claim(s) is/are withdrav 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-6,16 and 25-32 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or Application Papers	vn from consideration.				
9) The specification is objected to by the Examiner 10) The drawing(s) filed on is/are: a) access Applicant may not request that any objection to the correction access replacement drawing sheet(s) including the correction	epted or b) objected to by the Edrawing(s) be held in abeyance. See ton is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate			

Art Unit: 1641

DETAILED ACTION

New Claims

Although claims 25 and 31 are directed to subject matter that was not elected (see Response filed November 28, 2008), the Examiner has decided to enter these claims in light of WO 00/43774, which discloses explosives.

Claim Objections

Claim 31 is objected to because it has two periods at the end of the claim.

Appropriate correction is required.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Art Unit: 1641

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 1-5, 16, 25 and 26-32 are rejected under 35 U.S.C. 103(a) as being unpatentable over WO 00/43774 to Willner, cited in the IDS filed May 22, 2006, in view of U.S. Patent No. 4,128,628 to Brooker *et al.* ("Brooker").

i. Independent claims 1 and 26 are obvious

Willner describes a competition immunoassay in which a sample comprising an analyte is contacted with a neutralizing agent, e.g. an antibody, and the mixture then contacted with a piezoelectric crystal with the assayed antigen thereon. See page 10, line 10 to page 11, line 7. With this description, Willner teaches an unlabeled antibody that is capable of binding to a target antigen for use in a piezoelectric crystal detection device. Willner does not, however, teach a mixture of at least two different unlabeled antibodies.

Application/Control Number: 10/580,232

Art Unit: 1641

Brooker describes an immunoassay that uses a mixture of two or more different antibodies, in order to perform a multiplexed assay for simultaneous detection of different antigen. See column 3, lines 50-60; column 7, lines 32-35.

Page 4

With the foregoing description in mind, one of ordinary skill in the art would have found it obvious to modify Willner's antibody solution by including a plurality of different antibodies. The skilled artisan would have been motivated to make the modification because Brooker indicates that a multiplexed assay can be performed using a mixture of antibodies. Although Brooker is directed to a method of using labels instead of a piezoelectric crystal, the skilled artisan would have had a reasonable expectation of success in combining the teachings of Willner and Brooker because it would have taken only routine skill in the art to immobilize different antigens on the same piezoelectric cyrstal in order to make use of Brooker's multiple antibodies to perform a multiplex competition immunoassay.

ii. Dependent claims 2- 5, 16, 25 and 27-32 are obvious

Regarding claim 2, Willner and Brooker describe an antigen-antibody interaction pair. See supra rejection of claim 1.

Regarding claim 3, Willner teaches monoclonal antibodies. See page 8, line 3.

Regarding claims 4 and 28, Willner and Brooker do not explicitly describe an antibody concentration in the claimed range. Willner does, however, describe a displacement immunoassay method that utilizes a 0.1 mg/ml concentration of antibody. See page 29, lines 15-16. It would have been obvious to one of ordinary skill in the art to modify Willner and Brooker's antibody mixture, taught from the perspective of a

Art Unit: 1641

competitive immunoassay, to limit the concentration of each antibody to between 0.1 and 0.8 mg/ml. Indeed, the skilled artisan would have arrived at the claimed range based on the doctrine of routine optimization. In a case decided by the precursor to the Federal Circuit, the court stated that a claim is not allowable where the skilled artisan could have arrived at the claim through routine experimentation on the optimum or workable ranges of the claim. *In re Aller*, 220 F.2d 454, 456 (CCPA 1955) (stating "where the general conditions of a claim are disclosed in the prior art, it is not inventive to discover the optimum or workable ranges by routine experimentation.") In *Aller*, the claims were directed to a process taught by the prior art, except for a specific temperature and acid concentration range. *Id.* The court, however, held that the claims were not patentable since the skilled artisan could have arrived at the claimed ranges through routine optimization.

The facts of *Aller* are relevant here. Similar to that case, Willner and Brooker teach all the limitations of claims 4 and 28, except for the specific concentration range. Willner does, however, teach an antibody concentration within the range, albeit in a different context (displacement versus competition immunoassay). But because the displacement and competition methods are described as alternative embodiments of the same method, the skilled artisan would have found it obvious to conduct routine experimentation to use the concentration described for the displacement assay and apply it to the competition assay.

Regarding claims 5, 27 and 32, Willner describes antibodies diluted in PBS. See page 21, line 8.

Art Unit: 1641

Regarding claim 16, Willner and Brooker together describe a mixture of antibodies. See surpa rejection of claim 1.

Regarding claims 25 and 31, Willner teaches DNT and TNT explosives. *See* page 5, line 8.

Regarding claims 29 and 30, Willner describes a probe solution that contains antibody at a fixed concentration. See page 32, lines 20-21.

Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Willner and Brooker as applied to claim 1 above, and further in view of U.S. Patent No. 4,375,414 to Strahilevitz.

Willner and Brooker, described above, do not teach a narcotic analyte.

Strahilevitz describes an antibody directed to heroin, in order to detect the drug in a biological material. See abstract; column 1, lines 13-15.

With the foregoing description in mind, one of ordinary skill in the art would have found it obvious to modify Willner and Brooker's antibody mixture to include an antibody to heroin. This modification would allow a user to detect heroin in a biological material, thereby providing a reason for the skilled artisan to perform the modification. Moreover, because the modification simply substitutes one antibody for another in a method that can be applied generally to an antibody, the skilled artisan would have had a reasonable expectation of success.

Response to Arguments

Applicant's arguments, see Response filed May 22, 2009, with respect to the rejection of independent claim 1 under 25 U.S.C. 102(b) have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground of rejection is made in view of Willner and Brooker. *See supra* rejection of claims 1 and 26.

Conclusion

No claim is allowed.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Leon Y. Lum whose telephone number is (571) 272-2872. The examiner can normally be reached on Monday to Friday (8:30 am to 5:00 pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark L. Shibuya can be reached on (571) 272-0806. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1641

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Leon Y. Lum/ Examiner, Art Unit 1641

/Nelson Yang/ Primary Examiner, Art Unit 1641